

---

**SUPPLEMENTAL LABELING**

---

**Syngenta Crop Protection, Inc.**  
P. O. Box 18300  
Greensboro, North Carolina 27419-8300  
SCP 1061A-S1 1009

**Reglone® Desiccant**

**TO PREVENT ACCIDENTAL POISONING, NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS AND USE STRICTLY IN ACCORDANCE WITH ENTIRE LABEL**

Active Ingredient:

Diquat dibromide [6,7-dihydrodipyrdo (1,2-a:2',1'-c) pyrazinediium dibromide] .....	37.3%
Other Ingredients: .....	62.7%
Total:	100.0%

Contains 2 lbs. diquat cation per gal. as 3.73 lbs. salt per gal.

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION**

**EPA Reg. No. 100-1061**

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed. Before using Reglone Desiccant as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



## DIRECTIONS FOR USE

<b>Crop</b>	<b>Use Pattern</b>	<b>Reglone Desiccant Rate per Acre</b>	<b>Minimum Total Spray Volume per Acre</b>	<b>Preharvest Interval (Days)</b>	<b>Precautions, Restrictions, and Comments</b>
<b>Canola</b>	Preharvest desiccation broadcast	1 1/2–2 pts.	Ground: 15 gal. Air: 5 gal.	7	<ul style="list-style-type: none"><li>• A maximum of one application per season is allowed.</li><li>• Harvest no later than 10 days after application.</li></ul>

Reglone® and the Syngenta logo are trademarks of a Syngenta Group Company

©2010 Syngenta